

electrolux e:line kitchen collection

ovens
cooktops
rangehoods
dishwashers
refrigerators



The background of the page is a high-quality photograph of a dining table. In the foreground, a plate of sliced roast beef is garnished with a sprig of rosemary and a dollop of green herb sauce. Behind it, a glass of red wine is in focus. In the background, another glass of red wine and a plate of food are visible but blurred. The overall atmosphere is warm and elegant.

table of contents

- 3. introducing the e:line collection
- 4. IOI™ intuitive oven interface
- 6. ovens
- 10. compact range
- 12. tetsuya wakuda cooking authority
- 14. induction and maxisense cooktops
- 18. gas cooktops
- 20. ceramic cooktops
- 24. rangehoods
- 28. dishwashers
- 30. modular refrigeration
- 36. compact side by side refrigeration
- 37. four-door refrigeration
- 38. built-in refrigeration
- 41. dimensions and installation guide
- 43. top service

introducing the e:line kitchen collection

Today, the kitchen takes centre stage as the focal point for guests when you entertain. It has evolved beyond the purely functional, into a space that reflects taste and personality. The modern kitchen is where passion is turned into cuisine.



With over 80 years' experience in homes and leading restaurants around the world, Electrolux understands this and has created the Electrolux E:Line collection to take the kitchen into a whole new realm.

All individual appliances in the E:Line collection are designed to complement each other. Clean lines, horizontal pewter-toned glass bands and stainless steel exteriors blend to create a visual harmony.

This harmony is the result of a global design brief. Our designers from around the world worked closely with leading international kitchen architects to create a fresh, sophisticated look. The result – appliances that will create the perfect environment for both entertaining and stylish everyday living.

Every aspect of the Electrolux E:Line collection is easy to use. By marrying design simplicity with intuitive features, we've put you firmly in control of your kitchen.



IOI™ intuitive oven interface

In order to make cooking easier, we watched how people use their ovens in real life and learnt from chefs who use programmable cooking. By doing so, we have removed complexities and designed our ovens to be intuitive to use. We call this IOI™ – Intuitive Oven Interface.



IOI™ Intuitive Oven Interface

so what does it really mean?

The genius of IOI™ makes the oven so easy to control you won't need a manual to use it. No more of those controls, applications and symbols that become so confusing even the clock is left unset.

intuitive by design

IOI™ lets you operate the oven intuitively from left to right, pushing buttons across the controller, with clear wide screens displaying simple words, rather than confusing icons.

Once the function is selected, the recommended temperature is automatically displayed, which can be changed instantly to suit your personal cooking styles.

As well as a standard countdown timer function, you can also program what time you want your meal to start cooking and when you want it to finish. Simply add your food and walk away. Cooking will commence as programmed, rewarding you and your guests with more consistent and impressive results – free of stress or extra effort.



The IOI™ Intuitive Oven Interface puts you in control



products shown:
EOE63AS (left) and EPE63AS pyrolytic (right) single 10l™ ovens,
ERCE9020AS rangehood

electrolux e:line ovens – so intuitive, no manual required

Elegant, intuitive and contemporary – the oven is the centrepiece of the kitchen.

Your natural affinity with style and beauty will draw your attention to the ovens in the Electrolux E:Line collection. They exhibit the same clean horizontal lines, signature design elements and ease of use as the other appliances in the E:Line collection.

designed for you

Everyone's cooking needs vary. With single, duo or double electric ovens we cover them all. The large capacity of the 80 litre oven will make catering for every occasion quick and easy, while energy use is kept to a minimum – meeting Europe's highest energy standards (EN50304).

Then there are the myriad of little ways that we've thought about you. Multi-position rack settings increase cooking flexibility. The telescopic grill and baking tray simplify managing your cooking. The split grill insert can be easily washed in a dishwasher.

The IOI™ models automatically select fast heat up mode to get you cooking quicker. The intelligent electronics maintain your set temperatures to ensure your food is cooked just how you want it, when you want it.

chemical-free easy cleaning


The new Electrolux E:Line Pyroluxe oven brings new convenience to cleaning. Simply select one of the three pyrolytic cleaning functions and the oven heats up to a temperature that turns grease and organic residues to ash. The oven cavity when cool is then easily wiped clean.



EDEE63AS shown



EPEE63AS shown



telescopic racks

single electric oven features†



model	EPEE63AS	EOOE63AS	EOOE62AS	EOEM61AS
gross capacity – litres	80	80	80	80
usable (net) capacity – litres	66	66	66	66
materials/colour	mark-resistant stainless steel	mark-resistant stainless steel	mark-resistant stainless steel	mark-resistant stainless steel
IOI™	■	■	■	
oven functions	multi-function 12	multi-function 12	multi-function 8	multi-function 8
fan cooking	■	■	■	■
fan assist bake	■	■		
traditional bake	■	■	■	■
roast	■	■		
pizza	■	■		
pastry	■	■	■	■
rapid heat				■
cook from frozen	■	■	■	
full grill	■	■	■	■
grill	■	■	■	■
fan grill	■	■	■	■
keep warm	■	■		
defrost	■	■	■	■
features				
controls	electronic IOI™	electronic IOI™	electronic IOI™	mechanical
timer	programmable	programmable	programmable	programmable
cleaning	pyrolytic	catalytic	catalytic	catalytic
pyrolytic cleaning functions	light/medium/heavy			
lights	1	3	3	3
shelf supports	multi-position rack	multi-position rack	multi-position rack	multi-position rack
telescopic slides	2	2	2	2
closed door grilling	■	■	■	■
door glass layers	4	3	3	3
light activation by door	■	■	■	
included accessories				
number of shelves	2	2	2	2
grill/oven pan	■	■	■	■
grill insert	split non-spatter	split non-spatter	split non-spatter	split non-spatter
pizza/baking tray	1	1	1	1
cast baking dish	■	■		
fan filter	■	■	■	■
power requirements				
connection	hard wired	hard wired	hard wired	hard wired
maximum power rating	3.1kW	3.1kW	3.1kW	3.1kW
maximum current rating	12.9 Amps	12.9 Amps	12.9 Amps	12.9 Amps
dimensions^				
product (h x w x d) mm	595 x 595 x 573	595 x 595 x 566	595 x 595 x 566	595 x 595 x 566
cut-out flush fit (h x w x d) mm	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.electrolux.com.au

†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.

double/duo electric oven features†



model	EDEE63AS		EUDE63AS	
	main oven	second oven	main oven	second oven
gross capacity – litres	80	80	80	46
usable (net) capacity – litres	66	66	66	35
materials/colour	mark-resistant stainless steel		mark-resistant stainless steel	
IOI™	■	■	■	■
oven functions	multi-function 12	multi-function 6	multi-function 12	multi-function 6
fan cooking	■		■	
traditional bake	■	■	■	■
fan assist bake	■	■	■	■
roast	■		■	
pizza	■		■	
pastry	■	■	■	■
cook from frozen	■		■	
full grill	■		■	
grill	■	■	■	■
fan grill	■	■	■	■
keep warm	■	■	■	■
defrost	■		■	
features				
controls	electronic IOI™	electronic IOI™	electronic IOI™	electronic IOI™
timer	programmable	programmable	programmable	programmable
catalytic liners	sides/top/rear	sides/top/rear	sides/top/rear	sides/rear
lights	3	3	3	1
shelf supports	multi-position rack	multi-position rack	multi-position rack	rack
telescopic slides	2	2	2	1
closed door grilling	■	■	■	■
door glass layers	3	3	3	3
included accessories				
number of shelves	4		3	
grill/oven pan	2		2	
grill insert	split non-spatter		split non-spatter	
pizza/baking tray	2		1	
cast baking dish	■		■	
power requirements				
connection	hard wired		hard wired	
maximum power rating	5.8kW		5.7kW	
maximum current rating	24.1 Amps		23.9 Amps	
dimensions^				
product (h x w x d) mm	1081 x 595 x 566		888 x 595 x 566	
cut-out flush fit (h x w x d) mm	1086 x 600 x 581		893 x 600 x 581	

^ **Important!** The above dimensions are a guide only. For complete dimension and installation requirements, you must refer to the information provided with the product or visit www.electrolux.com.au

†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.



product shown:
EDEE63AS double oven with IOI™ technology

unique appliances, compact design

Electrolux compact ovens are designed to beautifully integrate with the E:Line kitchen collection. Each component shares the same sophistication in design and innovation to complete the E:Line vision of seamless harmony.



This specialised range of in-built compact kitchen appliances will free-up your bench space, save you time and give you the opportunity to entertain with flair.

Through intelligent design, both the combination and the micro oven feature microwave functionality without the need of a turntable, ensuring the most efficient use of space.

Easy to use touch controls with programs conveniently listed on the inside of the door make these ovens effortless to use while the fingerprint-resistant exterior, enamel interior, glass bottom and removable door make the compact oven exceptionally easy to clean.

combination oven

This perfectly styled compact oven is a fully multi-functional fan forced oven and grill, which combines the speed and benefits of a microwave. It bakes perfect meals up to 60% faster than traditional cooking methods. Features 12 automatic functions, 5 oven functions and simultaneous cooking on two levels.

micro oven

A stunning built-in microwave, designed to integrate seamlessly with the E:Line range of ovens, while freeing-up your bench space for food preparation. The Micro Oven combines microwave functions with the benefits of grilling. Features 10 automatic programs and 2 oven functions.



compact ovens features†

model	EOK86030X	EOK76030X
oven type	combination oven	microwave
usable (net) capacity – litres	31	31
materials/colour	mark-resistant stainless steel	mark-resistant stainless steel
programmed functions	12	10
fan cooking	■	
rapid heat	■	
microwave	■	■
microwave quick start	■	■
combi function	■	■
grill	■	■
fan grill	■	
keep warm	■	■
defrost	■	■
boil	■	■
features		
controls	touch	touch
memory function	■	■
child lock	■	■
included accessories		
baking tray	1	
crisp pan		1
shelves	1	1
power requirements		
connection	hardwire	hardwire
maximum power rating	3.6kW	3.7kW
required fuse	16 Amps	16 Amps
dimensions^		
product (h x w x d) mm	388 x 594 x 567	388 x 594 x 567
cut-out flush fit (h x w x d) mm	390 x 600 x 570	390 x 600 x 570

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.electrolux.com.au

†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.

tetsuya wakuda cooking authority

Ever since Tetsuya Wakuda started cooking at his tiny restaurant in Sydney's Rozelle in 1989, he has been showered with accolades. Recently, his eponymous restaurant, now based in a stunning heritage-listed house in Kent Street, Sydney, was rated ninth in a list of the world's best restaurants and the Best Australasian Restaurant by London's *Restaurant* magazine in 2008, and awarded three chef's hats (the highest rating) for the 15th year running in the 2007 *Sydney Morning Herald Good Food Guide*.

Tetsuya's exquisitely refined cooking has long attracted devotees from around the globe; indeed, more than half of his restaurant's bookings are made from overseas. And although he travels extensively, he can still usually be found, sleeves rolled up, at the stoves in Kent Street.

Tetsuya, in turn, has long been a devotee of Electrolux appliances, and his private kitchen at the restaurant is equipped with the original Electrolux Gallery collection.

"I've known the company for years and I've been using Electrolux equipment ever since I started in Rozelle. In Europe it's one of the most popular brands for commercial kitchens, and for the home cook it offers the same durability, reliability and ease of cleaning needed on a large scale in restaurants. Induction cooking has been around a long time, so it's tried and tested. It cuts down on radiant heat – which keeps commercial kitchens cooler – so it's perfect for Australian conditions."

Although Tetsuya jokingly describes himself as the 'gadget king', he stresses that success in the restaurant means being consistent. "I need equipment that will give me the same result each time. For example, say we're poaching ocean trout in herbs and olive oil at a low temperature, we know that every time we do this using induction the result will be the same – perfect – which is essential for restaurant cooking. With induction, the heat is consistent across the entire base of the pan. You go to Alain Ducasse's kitchens and he's using an induction wok – far more efficient and quicker than gas!

"It's also about cutting down the time you spend cleaning up. If something boils over, it's just a matter of wiping down a surface – which means you need fewer chemicals for cleaning."

Tetsuya is noticing the increasing awareness centred on health and well-being issues in Europe, something he feels is mirrored in Australia.

"At the restaurant our cooking is definitely European, with our own touches, of course, to make it interesting. It's Mediterranean really – we hardly use any butter or cream; certainly not in our savoury cooking, when we use mostly olive oil. For us, the healthy choice we make is in the produce. We use organic ingredients as much as we can, and we like to know where our produce comes from, how it's been reared or grown, by producers who care" he explains.

"Everyone's so busy nowadays that people tend to eat out more during the week. But I think the weekends are different, and that the kitchen is increasingly becoming the heart of home life, where you can relax with family and friends. You can see it in the way kitchen design is changing – open-plan living rooms that centre around the kitchen, where you can chat over a glass of wine while you're cooking. So although the kitchen may only be used a few times a week, it needs to be more user-friendly, ergonomic, stylish and, most importantly, easy to clean! After you've been entertaining, you don't want to spend two hours in the kitchen cleaning up!" he laughs.

Overall though, Tetsuya sees a more fundamental shift, observing, "nowadays people are definitely more educated about food. Fifty years ago people ate to survive; now, increasingly, people eat to enjoy."

And those on the waiting list at Tetsuya's would be the first to agree...



By Sally Feldman – a freelance writer and copy editor on publications, including *The Weekend Australian's* 'Travel and Indulgence' section, *Luxury Travel & Style* magazine, *Vogue Entertaining + Travel*, and ABC's *Delicious* magazine.



electrolux induction cooktops – safe, precise and powerful

Induction cooking will revolutionise your kitchen. No domestic cooking system heats faster, uses less power or is more precise and safe to use than induction – not even gas!

Precision perfect cooking is no longer a case of luck over good judgement. Exact temperatures can be reached and maintained easily. This greater precision enables you to do things like melt chocolate without it burning or to simmer special sauces without them boiling. Control is at your fingertips with induction cooking. The electromagnetic method of heat transfer utilised in induction cooking uses energy to maximum efficiency, conserving power. Unlike other cooking appliances there is no pre-heating phase.



EHD68200P shown

take the heat out of the kitchen

As there are no naked flames, the residual heat experienced with induction zones is substantially reduced, keeping the kitchen cooler and the food perfect. Naturally this means surfaces are much easier to wipe clean, as spilt food is not burnt onto the hotplates or surrounds.

Additionally, if there is no pot on the induction zone, the zone will not heat up, avoiding accidents that can occur when cooktops are left on. Simple to operate and elegantly designed, an Electrolux induction cooktop will fit seamlessly into your kitchen.

For people who like to mix the new with the classic, there's also the choice of a combination cooktop which combines state-of-the-art induction technology with conventional electric cooking.

how does it work?

Induction technology uses electromagnetic fields to transfer energy to the cooking pot which then converts into heat. The heat is generated at the base of the pan, not by a cooking element. In effect, this turns the pan itself into a hotplate and removes a significant amount of radiant heat from the cooktop surface.

suitable induction cooking utensils

In principle, steel, steel-enamel and cast iron pots and pans with magnetic bases are suitable for induction cooking. High-grade steel pans with a mixed metal base (sandwich base) are suitable for induction only if the manufacturer has expressly marked them as such.

If you wish to use a special type of pan (eg. a pressure cooker, simmering pan, wok etc.), please observe the manufacturer's instructions. For a quick test, use a magnet – it will stick firmly to suitable pots and pans.

Aluminium, copper, brass, glass, ceramic, porcelain or stainless steel pots and pans (unless specifically designated as suitable for induction), are not suitable for induction cooking.



bevelled sides



*induction zones
(EHD6010P, EHD60140P, EHD80160P only)*

maxisense induction cooking knows no boundaries

Electrolux innovation brings you two new induction cooktops which offer maximum cooking freedom and flexibility with professional results – for people who love to cook.



keeping multiple dishes warm

ultimate flexibility

The maxisense induction cooktops are developed with three or four extra large induction zones, which detect pan presence and location and are not restricted to traditional circular zones. This allows pots of various sizes to be placed anywhere on the cooktop, provided they come into contact with the induction crosshair.

Large pans or pots can be placed horizontally across two zones (on the three zone model EHD90200P) or vertically (on the four zone model EHD68200P), while a number of smaller dishes can be heated on the remaining available space.

thoughtful design

The three zone maxisense has all zones and controls at the front of the cooktop. This eliminates the need to reach over hot pans, whilst making full use of cooking space.

european style

The maxisense range is imported from Germany, finished in sleek black ceramic glass, clean bevelled edges and integrated electronic controls. Both hobs are perfectly styled to work seamlessly with the Electrolux E:Line range.



cooking across two zones

maxisense induction cooktop features†



model	EHD68200P	EHD90200P
energy/heat source	electric/induction	electric/induction
colour	black	black
trim	bevelled (sides only)	bevelled (sides only)
controls	touch pad	touch pad
safety cut-out	■	■
cooking timer with acoustic signal	■	■
auto switch-off	■	■
auto heat-up	■	■
child lock	■	■
keep warm function	■	■
cooking zone ratings		
left front*	2300W (b-3200W)	2300W (b-3200W)
right front*	2300W (b-3200W)	2300W (b-3200W)
centre*		2300W (b-3200W)
left rear*	2300W (b-3200W)	
right rear*	2300W (b-3200W)	
power requirements		
connection	hard wired	hard wired
maximum power rating	7.4kW	6.9kW
maximum current rating	32 Amps	29 Amps
dimensions^		
product (w x d) mm	710 x 520	910 x 410
cut-out (w x d) mm	680 x 490	880 x 380

^ **Important!** The above dimensions are a guide only. For complete dimension and installation requirements, you must refer to the information provided with the product or visit www.electrolux.com.au

*b = booster ratings

induction cooktop features†



model	EHD60100P	EHD60140P	EHD80160P
energy/heat source	electric/ribbon + induction	electric/induction	electric/induction
colour	black	black	black
trim	bevelled (sides only)	bevelled (sides only)	bevelled (sides only)
controls	touch pad	touch pad	touch pad
safety cut-out	■	■	■
cooking timer with acoustic signal	■	■	■
auto switch-off	■	■	■
auto heat-up	■	■	■
child lock	■	■	■
cooking zone ratings			
left front*	2300W (b-3700W)	2300W (b-3700W)	2300W (b-3700W)
right front*	1400W (b-1800W)	1850W (b-2500W)	1400W (b-1800W)
left rear*	1200W	1850W (b-2500W)	1850W (b-2500W)
right rear*	700/1700W	1400W (b-1800W)	2400W (b-3700W)
power requirements			
connection	hard wired	hard wired	hard wired
maximum power rating	6.6kW	7.4kW	7.4kW
maximum current rating	29 Amps	32 Amps	32 Amps
dimensions^			
product (w x d) mm	590 x 520	590 x 520	780 x 520
cut-out (w x d) mm	560 x 490	560 x 490	750 x 490

^ **Important!** The above dimensions are a guide only. For complete dimension and installation requirements, you must refer to the information provided with the product or visit www.electrolux.com.au

*b = booster ratings

†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.

tetsuya's seared fillet of bonito

with orange and shiso

serves 4

loin of bonito, one fish cut into quarters
olive oil
sea salt

dressing

50ml shiso essence*
10ml mirin
¼ tsp ginger, grated
¼ tsp garlic, grated
20ml white sesame oil*
130ml grapeseed oil

garnish

4g wakame (½ tbsp dried and soaked in cold water then drained immediately: it should be soft)
8 small orange segments
16 medium rocket leaves
1 tbsp chives, cut into batons
¼ leek, julienned
baby shiso leaves or micro veg

* available from asian food stores

brush the skin side of the bonito with olive oil and season with sea salt.

place the bonito skin side down onto a hot grill plate and cook until the skin just starts to turn brown and the flesh has not cooked through.

place on a tray until slightly cooled.

slice the bonito into 5mm thick slices and set aside.

for the dressing, combine all of the ingredients and stir to combine well. set aside.

combine the wakame, orange and rocket together and place on serving plates.
top with bonito slices.

to serve, drizzle the dressing over the sliced bonito, garnish with chives, julienned leek and shiso leaves.

season to taste with sea salt.

© copyright tetsuya wakuda



electrolux e:line gas cooktops

If you love the theatre and spectacle of cooking, the Electrolux E:Line gas cooktops will ensure drama is part of every meal.



EHGC95AS shown

loved by many

Quick and responsive, gas cooktops are loved by many. The Electrolux E:Line gas cooktop features a stylish and easy-to-clean ceramic glass base.

power to deliver great taste

For the ultimate in cooking performance and perfection the E:Line gas cooktops deliver high power focused heat, perfect for wok cooking and pan frying.

The simple but effective innovation of flattening and widening the gas trivets or pan supports, results in pans being able to glide effortlessly across the cooktop without the trivets getting in the way. The E:Line range of gas cooktops feature stylish, easy to clean ceramic glass base and flame failure sensors, which automatically turns off the gas to the burner if the flame goes out.

The EHGC77CS and EHGC97CS have the wok burner offset to enable more space on the cooktop, allowing you to be creative without compromising on cooking space.



gas cooktop features†

**EHGC97BS****EHGC77BS**

model		
colour/finish	black/ceramic glass	black/ceramic glass
trim finish	stainless steel	stainless steel
electronic ignition	■	■
flame failure safety	■	■
burners		
left front	triple ring wok (15.0MJ/h)	triple ring wok (15.0MJ/h)
left rear		semi-rapid (9.0MJ/h)
centre front	semi-rapid (9.0MJ/h)	
centre rear	semi-rapid (9.0MJ/h)	
right front	simmer (5.1MJ/h)	simmer (5.1MJ/h)
right rear	rapid (12.1MJ/h)	rapid (12.1MJ/h)
power requirements		
connection	plug and lead	plug and lead
current	10 Amps	10 Amps
dimensions^		
product (w x d) mm	896 x 531	746 x 531
cut-out (w x d) mm	830 x 480	560 x 480

^ **Important!** The above dimensions are a guide only. For complete dimension and installation requirements, you must refer to the information provided with the product or visit www.electrolux.com.au

**EHGC95AS****EHGC64AS**

model		
colour/finish	black/ceramic glass	black/ceramic glass
trim finish	stainless steel	stainless steel
electronic ignition	■	■
flame failure safety	■	■
burners		
left front	triple ring wok (14.4MJ/h)	triple ring wok (14.4MJ/h)
left rear	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)
centre	rapid (12.1MJ/h)	
right front	simmer (5.1MJ/h)	simmer (5.1MJ/h)
right rear	rapid (12.1MJ/h)	rapid (12.1MJ/h)
power requirements		
connection	plug and lead	plug and lead
current	10 Amps	10 Amps
dimensions^		
product (w x d) mm	863 x 531	612 x 531
cut-out (w x d) mm	830 x 470	570 x 490

^ **Important!** The above dimensions are a guide only. For complete dimension and installation requirements, you must refer to the information provided with the product or visit www.electrolux.com.au

†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.

electrolux e:line ceramic cooktops

The easy clean practicality of the Electrolux E:Line ceramic electric cooktop blends in perfectly with the E:Line kitchen collection.

sleek and stylish

The black ceramic electric cooktop gives the same sleek, stylish finish as the induction cooktop. It blends the traditional convenience of an electric cooktop with the unified look of the Electrolux E:Line collection.

flexibility and control

In addition to the four cooking positions, one element is a dual or triple zone cookplate, giving you 2 or 3 variable hotplates in one.

An extended zone on the EHET96CS gives you the flexibility to use rectangular cookware.

Simple touch controls at your fingertips make it easy to control the heat allowing you to concentrate on preparing the perfect meal.

easy to clean

The smooth black ceramic surface is tough and durable while being easy to maintain.

And being a completely flat surface maximises use of cooking space.

stop and go

The simple to use Stop and Go function gives you the ability to leave the cooktop on a keep warm setting if you are called away. When you are ready to start cooking again, by pressing Stop and Go, the cooktop will return to your previous setting.



touch controls on ceramic cooktops



knob controls on ceramic cooktops

ceramic cooktop features†



model	EHET66CS	EHET96CS	EHEC65BS
colour/finish	black/ceramic glass	black/ceramic glass	black/ceramic glass
trim finish	stainless steel	stainless steel	stainless steel
control	touch control	touch control	rotary knob
stop and go function	■	■	
safety child lock	■	■	
function lock	■	■	
elements			
left front	800W/1600W/2300W	800W/1600W/2300W	750W/2200W
left rear	1200W	1200W	1200W
right front	1800W	1800W	1200W
right rear	1200W	1400W/2200w	1800W
power requirements	6.5kW	7.5kW	6.4kW
connection	hard wired	hard wired	hard wired
dimensions^			
product (w x d) mm	610 x 515	896 x 515	610 x 515
cut-out (w x d) mm	560 x 490	880 x 490	560 x 490

^ **Important!** The above dimensions are a guide only. For complete dimension and installation requirements, you must refer to the information provided with the product or visit www.electrolux.com.au

†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.





products shown:
EDEE63AS double oven, ERCE9020AS rangehood, EHD8690P induction cooktop,
EOEE62AS (left) and EOEE63AS (right) single IOI™ ovens,
ETM5207SC-L modular top mount fridge with EBM5107SC-R modular bottom mount fridge

electrolux e:line rangehoods – clean lines, clean air

When designing your kitchen, the rangehood completes the story – the finishing touch for every modern kitchen. And with today's open plan kitchen designs, creating a clean quiet atmosphere is more important than ever.



ERCE9020AS

bold and striking or understated functionality

Electrolux understands the need to create the perfect environment for both entertaining and stylish everyday living.

In keeping with current kitchen trends, our rangehoods will complement any style.

A popular model, the canopy rangehood brings your kitchen appliances together. With bold lines, Electrolux canopy rangehoods are striking, almost sculptural in appearance.

Manufactured from stainless steel with pewter-tone inlay or stainless steel and glass, they flow harmoniously with the Electrolux E:Line kitchen collection.

If you prefer to keep your kitchen simple and minimalist, a fully integrated or slide out rangehood would suit your needs as they are discreetly hidden within your kitchen cabinetry.



ERCM9010AS



EFG540G/A

canopy rangehood features†



model	ERC9020AS	ERCM9010AS	EFC9542X/A	EFC9543X/A
installation/rangehood style	wall canopy	wall canopy	wall canopy	island canopy
finish	stainless steel with pewter-tone inlay	stainless steel	stainless steel & glass	stainless steel & glass
max. air flow	1120m³/hr	950m³/hr	660m³/hr	660m³/hr
filters	3 multi-layer with stainless steel covers	3 multi-layer with stainless steel covers	2 multi-layer	2 multi-layer
fan speeds	3 + boost	3	3	3
auto-off fan timer	■	■	■	■
lights	2 x 20W halogen	2 x 20W halogen	2 x 20W halogen	4 x 20W halogen
controls	electronic touch	electronic push button	electronic touch	electronic touch
centrifugal fan	1	1	1	1
recirculating option	■	■	■	■
optional carbon filters	■	■	■	■
noise level dB(A) (maximum)	56 (high) 60 (boost)	56	68	68
electrical supply required	240V/50Hz	240V/50Hz	240V/50Hz	240V/50Hz
washable filters	■	■	■	■
product dimensions†				
(h x w x d) mm	100* x 900 x 500	100* x 900 x 500	70* x 898 x 490	70* x 898 x 650
duct diameter	150mm	150mm	150mm	150mm
flue cover depth	330mm	330mm	265mm	290mm
flue cover width	395mm	395mm	300mm	350mm
max. chimney height from underside of body	1275mm	1275mm	1200mm	940 mm

*body height




model	EFC9551X/A	EFC935X/A	EFC635X/A
installation/rangehood style	wall canopy	wall canopy	wall canopy
finish	stainless steel with blue light trim	stainless steel	stainless steel
air flow	640m³/hr	450m³/hr	450m³/hr
filters	perimetrical extraction with 3 hidden filters	3 multi-layer	2 multi-layer
fan speeds	3	3	3
auto-off fan timer	■		
lights	3 x 20W halogen	2 x 40W incandescent	2 x 40W
controls	electronic push button	slide	slide
centrifugal fan	1	1	1
recirculating kit	■	■	■
optional carbon filters	■	■	■
noise level dB(A) (maximum)	67	61	61
electrical supply required	240V/50Hz	240V/50Hz	240V/50Hz
washable filters	■	■	■
product dimensions†			
(h x w x d) mm	80* x 900 x 490	270* x 898 x 490	270* x 598 x 490
duct diameter	150mm	150mm	150mm
flue cover depth	260mm	220mm	220mm
flue cover width	300mm	190mm	190mm
max. chimney height from underside of body	1200mm	730mm	730mm

*body height



†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.

integrated rangehood features†



model	EFG750X/A	EFG540G/A
installation/rangehood style	under cupboard/integrated	under cupboard/integrated
finish	stainless steel	grey
air flow	600m³/hr	420m³/hr
filters	2	2
fan speeds	3	3
lights	2 x 40W	2 x 40W
controls	slide	slide
centrifugal fan	2	2
recirculating kit	■	■
optional carbon filters	■	■
noise level dB(A) (maximum)	68	67
electrical supply required	240V/50Hz	240V/50Hz
washable filters	■	■
product dimensions†		
(h x w x d) mm	307 x 702 x 284	150 x 524 x 289
duct diameter	150mm	120mm

slide out rangehood features†



model	EFP9500X/A	EFP6500X/A
installation/rangehood style	Integrated/slide out	Integrated/slide out
finish	stainless steel	stainless steel
air flow	390m³/hr	390m³/hr
filters	4	2
fan speeds	3	3
lights	2 x 40W	2 x 40W
controls	switch & slide	switch & slide
centrifugal fan	1	1
recirculating kit	■	■
optional carbon filters	■	■
noise level dB(A) (maximum)	67	67
electrical supply required	240V/50Hz	240V/50Hz
washable filters	■	■
product dimensions†		
(h x w x d) mm	175 x 898 x 300	175 x 598 x 300
duct diameter	125mm	125mm

†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.



products shown:
EOEE62AS (left) and EOEE63AS (right) single IOI™ ovens,
EHGC95AS 900mm gas cooktop, ERCE9020AS rangehood,
EX601SC dishwasher, EBM4307SC-L modular bottom mount
fridge paired with ERM4307SC-R modular all vertical fridge

electrolux e:line dishwashers – smart lines, sparkling results

No matter what your design taste, the range of premium Electrolux E:Line dishwashers will ensure cleaning up after entertaining is a breeze. Boasting clean European-inspired lines and engineering excellence, you can be sure we've designed one just for you.

A good dishwasher helps make cooking good meals a pleasure not a chore and is an absolute necessity in the kitchen. For those devoted to culinary perfection, there is little more satisfying than plating the ultimate gourmet delight on glistening clean crockery – knowing that the wall of dirty dishes can be knocked over with the push of a button.

sophisticated minimalism or professional styling?

Whether you opt for sleek stainless steel or completely hidden behind your cabinetry for an integrated, minimalist look, your E:Line dishwasher is designed to fit your lifestyle.

built for your lifestyle

From the fast and functional quick30 which gives a great wash to lightly soiled dishes in only half an hour, to the anti+bac® options which remove up to 99.9% of harmful germs for the ultimate in hygienic washes.

flexible interiors

With an interior that can be easily adjusted to fit everything from large pots and pans to glasses of all shapes and sizes, E:Line dishwashers make entertaining a breeze.

energy saving technology

All models feature a unique load sensor technology, which determines how much energy is needed – saving you energy and money. And, for added peace of mind, flood protection is also standard.



model ESL6143 shown



flexible interiors

integrated dishwasher features†



model	ESL6143	ESL4143
size	600mm	450mm
colour/trim	fully integrated*	fully integrated*
controls	top mounted	top mounted
programs	5 (rinse, quick 30' 60°, normal eco 50°, normal 65°, anti+bac® 70°)	5 (rinse, quick 30' 60°, normal eco 50°, normal 65°, anti+bac® 70°)
power on beam indicator		■
load / turbidity sensing	■ / –	■ / –
acoustic signal	■	■
delay start	■	■
place settings	12	12
water safety system	anti-flood device	anti-flood device
water efficiency star rating*	2.5	2.5
water consumption (litres)	16.3	12.4
energy star rating	3.5	1.5
noise level dB(A)	49	49
product dimensions^		
(h x w x d) mm	818-878* x 596 x 555	818-878* x 446 x 555

^ Note: Above dimensions are product dimensions only, not building-in cut-out dimensions.

• door panel not included with dishwasher

* WELS Standard AS/NZS 6400.2005

minimum to maximum height

stainless steel dishwasher features†



model	EX601SC
size	600mm
door	mark-resistant stainless steel
controls	top mounted
programs	5 (auto, anti+bac, eco, quick, rinse)
load and turbidity sensing	■
delay start	■
tablet option	■
anti+bac®	■
place settings	12
Aquapulse® wash system	■
water safety system	aqua control
water efficiency star rating*	4
water consumption (litres)	11.9
energy star rating	2.5
noise level dB(A)	48
product dimensions^	
(h x w x d) mm	820 x 596 x 587

^ Note: Above dimensions are product dimensions only, not building-in cut-out dimensions.

* WELS Standard AS/NZS 6400.2005

†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.

e:line modular refrigeration professional styling to impress

When you choose from the E:Line modular range, you experience the sophisticated styling of linear design and high quality stainless steel, creating a standout in any living space.



modular bottom mount fridge EBM5107SC-L with bottom mount fridge EBM5107SC-R

the mother nature of all fridges

The new collection of Electrolux E:Line modular fridges have been designed with the planet, and you, in mind. Each fridge uses a more environmentally friendly refrigerant (R600a), to significantly reduce the level of gas emissions and features best-in-class energy efficiency (all models are rated 5 stars or better). They also include easy glide crispers and freezer bins, a modular anodised wine caddy, and an easy twist ice server.

Smart thinking for you. Even smarter thinking for the planet.

freedom to mix and match

By mixing and matching the 10 Electrolux E:Line modular fridges, you can create up to 25 combinations, to give you a customised refrigeration solution. Whatever your choice, as a single or modular combination, there's a model to perfectly match your living space and lifestyle.



visual harmony across the E:Line kitchen collection



infinitely adjustable interiors



the mother nature of all fridges




e:line modular bottom mount fridge EBM4307SC-L with single door fridge ERM4307SC-R, dishwasher EX601SC

modular refrigeration features

modular configuration

The modular range allows you the freedom to mix and match 10 different fridge and freezer combinations to create 25 different options. This ensures there's a fridge to satisfy all of your food storage needs.





total control

Separate temperature controls allow you to get the perfect temperature in the fridge as well as the freezer. They're situated externally on the door for electronic models, or internally for all other models.

handles that do more than open doors

The professionally inspired, sleek bar handles look exceptional in any living space. They are designed to take the effort out of opening and closing the fridge or freezer door.



innovative deli drawers

This compartment has independent chill outlets and is designed to isolate odours, providing storage for speciality food.

visual harmony

The Electrolux E:Line range of fridges, dishwashers and built-in cooking appliances will give your kitchen seamless style.




create the ideal environment

Humidity controls on each crisper create the ideal storage environment to keep fruit and vegetables garden fresh.

mark-resistant stainless steel

The invisible, mark-resistant coating helps protect the exterior of the fridge from everyday fingerprints and grime. This reduces cleaning time and helps keep the sleek appearance of your kitchen.



simply twist & serve

The ingenious twist ice server is an easy way to dispense ice. Store the frozen ice in the removable tray and freeze more – perfect for parties or everyday refreshments.

easy glide access

No matter how full the crisper and freezer drawers, easy glide telescopic runners ensures effortless access to your food.






































energy stars

This globally recognised mark of energy efficiency means your refrigerator is in the top 25% of the most energy efficient appliances on the Australian and New Zealand market. For more information visit www.energystar.co.nz

freedom to mix and match 10 models, 25 combinations

By mixing and matching the 10 Electrolux E:Line modular fridges, you can create up to 25 combinations, providing you with a customised refrigeration solution. Whatever your decision, there's a model or combination to perfectly match your living space and lifestyle.

	 122L 396L ETM5207SC-R	 349L 156L EBM5107SC-R	 103L 339L ETM4407SC-R	 300L 131L EBM4307SC-R	 430L ERM4307SC-R
 122L 396L ETM5207SC-L	 ERS5252-01C	 ERS5251-01C	 ERS5244-01C	 ERS5243-01C	 ERS5240-01C
 349L 156L EBM5107SC-L	 ERS5152-01C	 ERS5151-01C	 ERS5144-01C	 ERS5143-01C	 ERS5140-01C
 103L 339L ETM4407SC-L	 ERS4452-01C	 ERS4451-01C	 ERS4444-01C	 ERS4443-01C	 ERS4440-01C
 300L 131L EBM4307SC-L	 ERS4352-01C	 ERS4351-01C	 ERS4344-01C	 ERS4343-01C	 ERS4340-01C
 360L EFM3607SC-L	 ERS3652-01C	 ERS3651-01C	 ERS3644-01C	 ERS3643-01C	 ERS3640-01C
combined door width (including connection kit) ❄ freezer					
 1612mm 1512mm 1412mm					

Important! For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.electrolux.com.au

e:line modular refrigeration features†



model	top mount ETM5207SC	top mount ETM4407SC	bottom mount EBM5107SC
gross capacity (litres)	520	440	510
food compartment gross capacity (litres)	396	339	349
freezer compartment gross capacity (litres)	122	103	156
mark-resistant stainless steel door finish	■	■	■
energy star rating	5	5	5
square flat door design	■	■	■
frost-free	■	■	■
multi-flow air delivery system	■	■	■
separate temperature controls for fridge & freezer	■	■	■
fridge features			
FreshLogic® deodoriser	■	■	■
adjustable spillsafe™ glass shelves	2	2	1
slide away shelf (adjustable)	1	1	1
fixed spillsafe™ glass shelf	1	1	1
full width deli compartment		1	
half width deli compartment	2		2
modular anodised wine caddy	■	■	■
easy glide crispers	■	■	■
separated crispers	■		■
humidity control for crisper	■	■	■
half-width dairy compartment with lid (in door)	2	2	2
half-width door bins	4	4	2
full-width door bin / with bottle twist holder	2 / 1	2 / 1	2 / 1
egg tray	■	■	■
interior fridge light	1 x 40 W	1 x 40 W	1 x 40 W
freezer features			
adjustable spillsafe™ glass shelves	1	1	
easy glide freezer bins			2
full-width freezer door bins	2	2	
freezer storage drawer			■
twist ice server	3	3	3
removable ice bucket and scoop			■
food freezing guide	■	■	■
other features			
R600a refrigerant	■	■	■
adjustable front rollers	■	■	■
rear rollers	■	■	■
door opening	L / R	L / R	L / R
dimensions	refer to page 41		

Important! Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.



†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.

e:line modular refrigeration features[†]



model	bottom mount EBM4307SC	single door fridge ERM4307SC	single door freezer EFM3607SC
gross capacity (litres)	430	430	360
food compartment gross capacity (litres)	300	430	
freezer compartment gross capacity (litres)	131		360
mark-resistant stainless steel door finish	■	■	■
energy star rating	5	6	5
square flat door design	■	■	■
frost-free	■	■	■
multi-flow air delivery system	■	■	■
separate temperature controls for fridge & freezer	■	■	■
fridge features			
FreshLogic® deodoriser	■	■	
adjustable spillsafe™ glass shelves	1	3	
slide away shelf (adjustable)	1	1	
fixed spillsafe™ glass shelf	1	2	
full width deli compartment	1	2	
half width deli compartment			
modular anodised wine caddy	■	■	
easy glide crispers	■	■	
humidity control for crisper	■	■	
half-width dairy compartment with lid (in door)	2	2	
half-width door bins	2	4	
full-width door bin / with bottle twist holder	2 / 1	2 / 2	
full-width can bin		■	
egg tray	■	■	
interior fridge light	1 x 40 W	1 x 40 W	
freezer features			
adjustable spillsafe™ glass shelves			3
easy glide freezer bins	2		4
freezer storage drawer	■		■
twist ice server	3		3
removable ice bucket and scoop	■		■
interior freezer light			1 x 25 W
food freezing guide	■		■
other features			
R600a refrigerant	■	■	■
adjustable front rollers	■	■	■
rear rollers	■	■	■
door opening	L / R	R	L
dimensions	refer to page 41		

Important! Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.



[†]For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.

compact e:line side by side professionally inspired

The Electrolux E:Line compact side-by-side shares the same sophisticated styling of linear design and high quality stainless steel finish of the Electrolux E:Line Kitchen Collection.



The dedicated fridge and freezer compartments, with large storage capacity, make it easy to organise your fresh and frozen food.

fits a standard 900mm space

The Electrolux E:Line compact side by side is cleverly designed to fit into a popular 900mm wide fridge cavity, so you can achieve a professional look without remodelling your kitchen.



hidden hinges



adjustable wine rack



deli compartment



ice & water dispenser

e:line compact side by side refrigeration features[†]



ESE6077SA



ESE6107SA

model	ESE6077SA	ESE6107SA
gross capacity (litres)	600	610
fridge compartment gross capacity (litres)	357	357
freezer compartment gross capacity (litres)	240	249
mark-resistant stainless steel door finish	■	■
energy star rating	3.5	4
full length designer bar handles	■	■
hidden hinges	■	■
frost-free	■	■
multi-flow air delivery system	■	■
electronic temperature controls	■ (external)	■ (internal)
drinks chill alarm	■	■
quick freeze function	■	■
time display	■	■
eco/vacation mode	■	■
door alarm	■	■
freezer temperature alarm	■	■
separate temperature controls for fridge & freezer	■	■
fridge features		
adjustable glass spill safe shelves	2	2
adjustable slide away shelf	■	■
full width deli compartment	■	■
wine rack	■	■
full-width humidity controlled crispers	2	2
adjustable dairy locker	■	■
bottle bins / with bottle twist holders	4 / 2	4 / 2
FreshLogic® deodoriser	■	■
egg tray	■	■
fluorescent interior fridge light	1 x 13W	1 x 13W
freezer features		
adjustable glass spill safe shelves	2	3
freezer baskets with clear fascia	3	3
full-width freezer door bins	3	5
ice & water dispenser	■	■
ice cream shelf	■	■
ice trays	■	2
ice cube storage bin	■	■
interior freezer light	2 x 25W	1 x 25W
other features		
adjustable front rollers	■	■
rear rollers	■	■
dimensions	refer to page 42	

Important! Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.



[†]For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.

four-door an entertainer's delight, a gourmet's dream

The Electrolux four-door is a fridge of exceptional beauty, innovative design and absolute functionality.

The elegantly symmetrical four half-width doors require minimum space to swing open and are ideal for narrower kitchens and island benches.

It has an interior large enough to fit the biggest party platters. And with multiple drawers and compartments in both the fridge and the freezer, organising different fresh and frozen foods is simple.

a freezer for the organised

With seven slide-out freezer drawers there is a place for everything. The two doors allow you to separate your long-term frozen foods from the ones you use every day, and by reducing the amount of times you open each door, you reduce energy consumption and ensure optimum performance.



extra wide fridge compartment



deep door bins



freezer with plenty of compartments

built-in refrigeration totally integrated, totally you

If you prefer to customise the look of your kitchen, then the Electrolux E:Line built-in fridges and freezers have been designed for you.



integrates with kitchen cabinetry

It allows you the freedom to choose your own exterior design, integrating perfectly with the rest of your kitchen cabinetry.

a genuine solution

Unlike some existing sliding integration kits, this is a genuine 'built-in' solution, with no door alignment issues and a seamless trim finish.

visual harmony

The Electrolux integrated dishwasher is also available, allowing you to create a stunning kitchen with absolute visual synergy and minimalist design.



bottle fingers



super-sized crisper



spacious interior

four-door refrigeration features†



model	EQE6007SA
gross capacity (litres)	602
food compartment gross capacity (litres)	370
freezer compartment gross capacity (litres)	232
mark-resistant stainless steel door finish	■
electronic controls – external	■
frost-free	■
express freezing function	■
time display	■
holiday mode	■
door alarm	■
freezer temperature alarm	■
multi-flow air delivery system	■
separate temperature controls for fridge & freezer	■
fridge features	
adjustable spill safe glass shelves	2
fixed spill safe glass shelves	1
deli compartment	■
separate crisper	■
full-width dairy bin with lid	■
full-width bottle bins	■
full-width can bin	■
egg tray	■
interior fridge light	4 x 15W
freezer features	
freezer drawers with clear fascia	5
twist and serve ice trays	2
ice cube storage bins	2
other features	
rear rollers	■
energy star rating	3.5
dimensions	refer to page 42

built-in refrigeration features†



model	EFM3001WA-X	ERM3701WA-X
type	freezer	refrigerator
gross capacity (litres)	300	370
exterior finish	white	white
frost-free	■	■
thermostat and internal rotary control	■	■
separate temperature control	■	■
multi-flow air delivery	■	■
fridge features		
removable/repositional deli compartment		■
adjustable spill safe glass shelves		4
wine rack		■
full-width crisper with humidity control / on rollers		■
adjustable chiller control		2
deodoriser		■
interior light		1 x 40W
full-width bottle bin		2
bottle restrainer		2
full-width can bin		■
half-width bins		4
full-width dairy compartment with lid		1
egg tray		■
freezer features		
ice tray	■	
ice cube storage bin	■	
wire shelves	3	
freezer baskets with clear fascia	4	
interior light	1 x 25W	
other features		
rear rollers	■	■
door opening	L/R	L/R
energy star rating	3	5
dimensions	refer to page 42	


Important! Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.

†For further information on our Electrolux E:Line collection, or to obtain dimension and installation information please call 1300 363 640 or visit www.electrolux.com.au. Refer to product information details on page 43.


dimensions and installation guide

modular refrigeration


E:Line bottom mount fridge EBM5107SC, EBM4307SC




E:Line top mount fridge ETM5207SC, ETM4407SC




E:Line single door ERM4307SC, EFM3607SC




Recommended Airspaces




If you do not have a cupboard with a rear gap, the recommended clearance area on top increases from 50mm to 90mm (x) and from 32mm to 72mm (y).



Please note:
Doors are designed to sit proud of cabinetry (not flush).



Front face of bench aligned to front corner edge of cabinet.






When positioned in a corner area, spacing of at least 400mm on the hinge side will allow the doors to open enough to enable the removal of bins and shelves.

Cabinet dimensions:

	max door height (H)	cabinet height (H1)	total height (H2)	door width (W)	cabinet width (W1)	total depth (D)	cabinet depth (D1)	depth door open (D2)
EBM5107SC	1720	1702	1720	800	790	745	612	1450
EBM4307SC	1720	1702	1720	700	690	745	612	1350
ETM5207SC	1720	1702	1720	800	790	745	612	1450
ETM4407SC	1720	1702	1720	700	690	745	612	1350
ERM4307SC	1720	1702	1720	700	690	683	550	1270
EFM3607SC	1720	1702	1720	700	690	683	550	1270

Important! Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.

Joined dimensions



Please note:
Doors are designed to sit proud of cabinetry (not flush).

Joined cabinet dimensions:



individual cabinet widths (W1)		cabinet height (H1)	max door height (H)	joined cabinet width (Wa)	joined door width (Wb)	max total depth (D)	max cabinet depth (D1)
model 1	model 2						
790	790	1702	1720	1600	1612	745	612
790	690	1702	1720	1500	1512	745	612
690	690	1702	1720	1400	1412	745	612

For connection kit installation instructions go to www.electrolux.com.au



dimensions and installation guide

compact side by side refrigeration

E:Line compact side by side fridge ESE6077SA, ESE6107SA




Recommended Airspaces



Please note:
Doors are designed to sit proud of cabinetry (not flush).



Front face of bench aligned to front corner edge of cabinet.



When positioned in a corner area, spacing of at least 300mm on the fridge side and 250mm on the freezer side will allow the doors to open enough to enable the removal of the crisper bins and shelves.



four-door refrigeration

E:Line four-door fridge EQE6007SA




Recommended Airspaces

These are the recommended minimum clearances.




NOTE: Doors are designed to sit proud of cabinetry (not flush).

When positioned in a corner area, spacing of at least 325mm on the sides will allow the doors to open enough to enable removal of the crisper bins and shelves.



built-in refrigeration

E:Line built-in fridge ERM3701WA, EFM3001WA




Note: Ventilation grille should be cut out to suit customer requirements with a minimum of 152cm² of cross-sectional area for ventilation grille airflow.

All measurements in millimetres.

External dimensions depend on thickness of cabinet materials used.
Cabinet door widths should not exceed total cabinet width to allow proper door opening.

NOTE: kitchen cabinetry is not included with the appliance



For detailed assembly instructions, refer to the installation manual included with the products, visit www.electrolux.com.au or call 1300 363 640.

electrolux top service

Electrolux Top Service encompasses the after sales service including Delivery, Home Service and Spare Parts



delivery

The purchase of a new appliance is an exciting experience. Electrolux customers can, for an additional charge, choose to have their new appliance delivered by our experienced staff. This service, at the customer's option, includes the removal and recycling of packaging materials and even the old appliance if necessary. Delivery is available in Adelaide, Brisbane, Melbourne, Perth and Sydney. It may not be available in some rural locations.

home service


Home Service is provided for repairs to appliances by trained technicians. For repairs to appliances that are outside the manufacturer's warranty period and not required as a result of a manufacturing defect, a service fee is payable. Home Service is available Australia-wide.

spare parts

Home Service and Spare Parts can be contacted by phone using our toll free national numbers 13 13 49 Service and 13 13 50 Spare Parts or visit our website at www.electrolux.com.au

customer care

For more information on Electrolux products, please call our Customer Care team on 1300 363 640 or visit our website, www.electrolux.com.au



warranty

Electrolux Home Products warrants that for domestic applications the Electrolux E:Line products featured in this brochure are free from defects in materials and workmanship for 2 years (3 months warranty for commercial applications). All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased. An additional 3 year warranty is also provided for domestic applications only to cover replacement of parts only for the sealed refrigeration system.

†product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow.

anti-bac® is a registered trademark of Electrolux Home Products Pty Ltd



Printed on Monza Satin Recycled Art stock containing 55% recycled material & 45% from sustainable forests.

Electrolux Home Products Australia

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.auweb: www.electrolux.com.au**The Thoughtful Design Innovator.**

Do you remember the last time you opened a gift that made you say "Oh! How did you know? That's exactly what I wanted!" That's the kind of feeling that the designers at Electrolux seek to evoke in everyone who chooses or uses one of our products. We devote time, knowledge, and a great deal of thought to anticipating and creating the kind of appliances that our customers really need and want.

This kind of thoughtful care means innovating with insight. Not design for design's sake, but design for the user's sake. For us, thoughtful design means making appliances easier to use and tasks more enjoyable to perform, freeing our customers to experience that ultimate 21st century luxury, ease of mind. Our aim is to make this ease of mind more available to more people in more parts of their everyday lives, all over the world. So when we say we're thinking of you, you know we mean just that.

The "Thinking of you" promise from Electrolux goes beyond meeting the needs of today's consumers. It also means we're committed to making appliances safe for the environment—now and for future generations.

Electrolux. Thinking of you.

Share more of our thinking at www.electrolux.com.au

